
Keynius

Version 1.0 · Sep 2026



PRODUCT DATASHEET

Smart Locker Cabinet Elite Plus.


Plug & Play Smart Locker Cabinets, made from steel.

Keynius

PRODUCT DATASHEET

Smart Locker Cabinet Elite Plus

High-quality Smart Locker Cabinet, featuring reinforced “front-laying” doors, customizable dimensions, and eco-friendly construction. This storage solution is designed for both practicality and durability, making it an excellent choice for various spaces.



- Versatile Design, Ideal for Modern Spaces
- Reinforced “Front-Laying” Doors for Enhanced Safety
- Customizable Dimensions
- Eco-Friendly Construction with High-Quality Steel Sheet

Technical Specifications

Our steel Smart Locker Cabinets are meticulously crafted with durability and versatility in mind, providing seamless storage solutions for a variety of environments. Constructed from high-quality cold-rolled furniture sheet steel and finished with a scratch-resistant powder coating, these Smart Locker Cabinets offer unparalleled resilience. Engineered with 4-fold closed profiles at the rear of the doors, they remain undeformable even under heavy use. With versatile configurations available, our cabinets are designed to meet diverse storage needs, offering robust solutions for any space.

GENERAL

Compartments	Easy cleaning of the compartments due to smooth shelves without backsplash
Door design	Front-laying doors. The back side of the door is reinforced with two vertical mounted, sealed overlapping profiles, for maximum strength
Material cabinet	High-quality steel sheet (1.0 mm)
Material doors	High-quality steel sheet (1.2 mm)
Single column empty weight	56–122 kg
Dual column empty weight	96–202 kg
Usability	All screws that can be seen by users are TORX
Intended use environment	Indoor
Shipping	Cabinets are individually packed for easy shipping and placement

CABINET

Lacquering body	Environmentally friendly powder coating
Powder coat thickness	80 microns
Color	Based on standard RAL colors, see color document
Cabinet texture	Wrinkled, satin finish

DOOR


Lacquering doors	Environmentally friendly powder coating
Powder coat thickness	80 microns
Color	Based on standard RAL colors, see color document
Door front texture	Wrinkled, satin finish
Opening direction	Right opening
Reinforced stainless steel pin hinge	Integrated stainless steel pin

BASE	Base steps	A small step is created in the base on the back to allow for installation against walls with a baseboard (plinth)
	Leveling feet	Every base is delivered with pre-installed adjustable feet


DETAILED SPECIFICATION



Top door



Easy lock replacement




Cabinet connection holes




Adjustable feet




Silicone doorstop




Grounding rod



Mechanical emergency opening



Integrated hinges



Breakaway hole for cable management

PRODUCT DATASHEET

Locking Technology

Storing personal and company belongings has been very important for many years. Nowadays it is also essential that this can be done quickly, easily, safely, and with due regard for privacy. The storage options are endless and can be fully adapted to the wishes of the users.



Smart Lock RENÉ

Smart Lock RENÉ supports push2open and pop2open. A mechanical emergency opening allows lockers to be opened during a power failure.

- 2 ways of cable connection
- Mechanical emergency opening
- Cabinet mount or profile mount
- Push- & Pop2open by software
- Plug & Play
- Easy to install



Smart Home Teacher V3

Smart Home Teacher V3 controls up to 16 locks directly and connects to up to 13 Smart Home Students, operating 224 locks in total.

- Plug & Play
- Connect up to 13 Students on 1 teacher
- Open all locks emergency opening
- Connect Smart Lock RENÉ + add-ons
- Status LEDs
- LAN

Keynius


PRODUCT DATASHEET

Locker Cabinets


Our Steel Smart Locker Cabinets are available in 3 models: Standard, Front access and Sloping Top. The visual below shows the differences between the models, as well as the similarities.

The internal dimensions per locker are equal for all models. Only the technical compartment and the resulting total height of the locker cabinet is different.


Standard model
(Default: SLWEP06)




Front Access model
(SLWEPFA06)



Sloping Top model
(SLWEPST06)





Keynius





PRODUCT DATASHEET

Dimensions

Our steel Smart Locker Cabinets are available in a range of sizing options to accommodate diverse storage needs.

Select from various configurations, including one or two columns with 1-10 doors per column or the Z-locker design, for tailored storage solutions.

ONE COLUMN

	Column	Lockers	Total height	Internal height per locker*	Width	Internal width per locker*	Depth	Internal depth per locker*
	1	1	1950 mm	1765 mm	300 mm 350 mm 400 mm	230 mm 280 mm 330 mm	400 mm 500 mm 650 mm 850 mm	354 mm 454 mm 604 mm 804 mm
	1	2	1950 mm	884 mm	300 mm 350 mm 400 mm 500 mm	230 mm 280 mm 330 mm 430 mm	400 mm 500 mm 650 mm 850 mm	354 mm 454 mm 604 mm 804 mm
	1	3	1950 mm	581 mm	300 mm 350 mm 400 mm 500 mm	230 mm 280 mm 330 mm 430 mm	400 mm 500 mm 650 mm 850 mm	354 mm 454 mm 604 mm 804 mm
	1	4	1950 mm	429 mm	300 mm 350 mm 400 mm 500 mm	230 mm 280 mm 330 mm 430 mm	400 mm 500 mm 650 mm 850 mm	354 mm 454 mm 604 mm 804 mm
	1	5	1950 mm	338 mm	300 mm 350 mm 400 mm	230 mm 280 mm 330 mm	400 mm 500 mm 650 mm 850 mm	354 mm 454 mm 604 mm 804 mm
	1	6	1950 mm	278 mm	300 mm 350 mm 400 mm	230 mm 280 mm 330 mm	400 mm 500 mm 650 mm 850 mm	354 mm 454 mm 604 mm 804 mm









Keynius

ONE COLUMN




	Column	Lockers	Total height	Internal height per locker*	Width	Internal width per locker*	Depth	Internal depth per locker*
	1	7	1950 mm	235 mm	300 mm 350 mm 400 mm	230 mm 280 mm 330 mm	400 mm 500 mm 650 mm 850 mm	354 mm 454 mm 604 mm 804 mm
	1	8	1950 mm	202 mm	300 mm 350 mm 400 mm	230 mm 280 mm 330 mm	400 mm 500 mm 650 mm 850 mm	354 mm 454 mm 604 mm 804 mm
	1	9	1950 mm	177 mm	300 mm 350 mm 400 mm	230 mm 280 mm 330 mm	400 mm 500 mm 650 mm 850 mm	354 mm 454 mm 604 mm 804 mm
	1	10	1950 mm	157 mm	300 mm 350 mm 400 mm	230 mm 280 mm 330 mm	400 mm 500 mm 650 mm 850 mm	354 mm 454 mm 604 mm 804 mm
	1	Z	1950 mm	-	300 mm 350 mm 400 mm	230 mm 280 mm 330 mm	400 mm 500 mm 650 mm 850 mm	354 mm 454 mm 604 mm 804 mm

** Average dimensions may vary.*

TWO COLUMNS

	Column	Lockers	Total height	Internal height per locker*	Width	Internal width per locker*	Depth	Internal depth per locker*
	2	1	1950 mm	1765 mm	600 mm 700 mm 800 mm	230 mm 280 mm 330 mm	400 mm 500 mm 650 mm 850 mm	354 mm 454 mm 604 mm 804 mm
	2	2	1950 mm	884 mm	600 mm 700 mm 800 mm	230 mm 280 mm 330 mm	400 mm 500 mm 650 mm 850 mm	354 mm 454 mm 604 mm 804 mm
	2	3	1950 mm	581 mm	600 mm 700 mm 800 mm	230 mm 280 mm 330 mm	400 mm 500 mm 650 mm 850 mm	354 mm 454 mm 604 mm 804 mm
	2	4	1950 mm	429 mm	600 mm 700 mm 800 mm	230 mm 280 mm 330 mm	400 mm 500 mm 650 mm 850 mm	354 mm 454 mm 604 mm 804 mm
	2	5	1950 mm	338 mm	600 mm 700 mm 800 mm	230 mm 280 mm 330 mm	400 mm 500 mm 650 mm 850 mm	354 mm 454 mm 604 mm 804 mm
	2	6	1950 mm	278 mm	600 mm 700 mm 800 mm	230 mm 280 mm 330 mm	400 mm 500 mm 650 mm 850 mm	354 mm 454 mm 604 mm 804 mm
	2	7	1950 mm	235 mm	600 mm 700 mm 800 mm	230 mm 280 mm 330 mm	400 mm 500 mm 650 mm 850 mm	354 mm 454 mm 604 mm 804 mm
	2	8	1950 mm	202 mm	600 mm 700 mm 800 mm	230 mm 280 mm 330 mm	400 mm 500 mm 650 mm 850 mm	354 mm 454 mm 604 mm 804 mm

TWO COLUMNS


	Column	Lockers	Total height	Internal height per locker*	Width	Internal width per locker*	Depth	Internal depth per locker*
	2	9	1950 mm	177 mm	600 mm 700 mm 800 mm	230 mm 280 mm 330 mm	400 mm 500 mm 650 mm 850 mm	354 mm 454 mm 604 mm 804 mm
	2	10	1950 mm	157 mm	600 mm 700 mm 800 mm	230 mm 280 mm 330 mm	400 mm 500 mm 650 mm 850 mm	354 mm 454 mm 604 mm 804 mm
	2	Z	1950 mm	-	600 mm 700 mm 800 mm	230 mm 280 mm 330 mm	400 mm 500 mm 650 mm 850 mm	354 mm 454 mm 604 mm 804 mm

** Average dimensions may vary.*

PRODUCT DATASHEET

Interior Accessories


Enhance the functionality and customization of your Elite Plus Smart Locker Cabinet with our range of accessories.



AC06VPXX

Vertical Partitions


Divide locker compartments for efficient organization and separation of contents.



AC06ASXX

Additional shelves


Increase storage capacity and organization with durable steel shelves.



AC06HASXX

Height adjustable shelves


Customize compartments with height adjustable shelves to increase storage capacity.



AC06CHXX

Clothing hook(s)


Steel functional clothing hook with two hanging points.



AC06CRXX

Clothing rod with 3 hooks


Steel bar for clothing hangers. Comes with 3 hooks that can be divided along the rod according to your wishes.



AC06DLXX

Door limiter


Steel Door Limiter integrated into the cabinet. Will limit the door rotation to a maximum angle of 95 degrees.



AC06RDXX

Reinforced door

This bent steel section is integrated into the door to improve its stiffness and durability.



AC06RSXX


Reinforced shelve

This bended steel shape will be integrated with the shelve which enhances its stiffness and durability.

PRODUCT DATASHEET

Exterior Accessories


Enhance the functionality and customization of your Elite Plus Smart Locker Cabinet with our range of accessories.



AC06STMVXX

Mechanical Ventilation Preparation


This accessory is only available in combination with the sloping top model. Mechanical ventilation can be directly connected to this sloping top, allowing a non-stop refreshment of the cabinets.



AC06IBXX

Integrated bench (no base/plinth)


Maximize space efficiency by integrating lockers with a bench underneath, providing convenient seating and storage solutions.



AC06SPXX

Side panels (left and right)


Finish your cabinets with some aesthetically pleasing side panels to create a unified locker wall.



AC06NPXX

Numbering plate aluminium (flush)


Circular aluminium number plate (Ø 50 mm), integrated flush into the door. Available in black, gold, red, green, and blue.



AC06NSXX

Numbering sticker


Place directly on the door for easy locker identification. Available in black, silver/grey, and white.



AC06TDXX

Transparent doors


Transparent Plexiglass doors provide a view into the locker without opening it. The Plexiglass plate is 6 mm thick.



AC06ZSXX

Zincor (Body + doors)

The entire cabinet including doors will be forged from Zincor steel. Zincor steel is ideal for cabinet lockers due to its durability and corrosion resistance, ensuring long-lasting performance with minimal maintenance.



AC06ATSXX

Angled Terminal screen

Angled terminal screens in a smart locker cabinet enhance user ergonomics and visibility, making interactions more intuitive and accessible. The Terminal screen will be placed under an angle of 10 degrees.

PRODUCT DATASHEET

Technology Accessories

Enhance the functionality and customization of your Elite Plus Smart Locker Cabinet with our range of accessories.



11604007 11999020 11999021

Smarty 8 Inch Touch Screen

The 8-inch Smarty offers PIN and RFID access, administrator login, and configurable scenarios in a compact screen for lockers with limited space.



11604009 11999026 11999027

Smarty 15 Inch Touch Screen

The 15-inch Smarty offers PIN and RFID access, administrator login, and configurable scenarios when a larger screen is needed.



11990001 11990011 11990012 11990013

Payment Terminal Contactless and PIN

Android payment terminal for unattended indoor and outdoor use, with a cellular antenna and pre-installed SIM. Users can swipe, insert, or tap a card or mobile wallet; barcode/QR scanning is optional.



11604045

QR Reader IP66

The IP66 QR reader connects to Keynius products by USB for QR-code access. Its weather-resistant design supports outdoor use.



11999091

Facial recognition

Facial recognition for access to your Elite Plus smart lockers.

Data sheets that are also available:

- Smarty 8 inch
- Smarty 10 inch*
- Smarty 15 inch
- Smarty without Screen
- RFID Reader panel*
- Smart Home Teacher
- Smart Home Student
- Smart Home Power Supply
- Door Shackle Brighty
- Door Shackle Click
- Cover Suit
- Cover TUX
- Smart Lock RENÉ
- Battery Lock LEO PIN
- Battery Lock LEO RFID
- Battery Pack Square
- Battery Pack Tall
- Offset Latches
- Battery Lock LEO Horizontal PIN
- Battery Lock LEO Horizontal RFID
- Battery Lock LEO IP65
- Payterm Contactless & PIN
- Payterm Contactless Only*
- QR Reader IP66
- Lock Profile
- Advanced RFID Reader
- Basic RFID Reader
- Smart Lock 1.0*
- Door Shackle Smart Lock 1.0*
- Cover Smart Lock 1.0*

kiwa certified ISO 9001 kiwa certified ISO 14001 kiwa certified ISO/IEC 27001

Need support? +31 (085)-489 13 35 support@keynius.eu