

■ PRODUCT DATASHEET

# Smarty 8 inch

11604007 SMARTY SCREEN (8 INCH)

11999020 SMARTY SCREEN WITH RFID MIFARE (8 INCH)

11999021 SMARTY SCREEN WITH RFID HID (8 INCH)

The Smarty touch screens offer extra locker control options for users and administrators, like PIN code and RFID access.

- Plug & Play
- Extended user possibilities with PIN+RFID
- Administrator login functionalities
- Full range of scenario possibilities



## GENERAL

Dimensions (L x W x H) (mm)	201.0 x 160.5 x 46.7
Weight (Kg)	1.6
Material housing	Steel
Permitted ambient temperature (°C)	-10 to +60
Humidity Range (RH)	10% - 90%

## POWER

Input	DC 12, 3A
Output	5V, 1A
Power usage	See Keynius Power Consumption Datasheet
Comes with	Smarty 8 inch Power Supply

**CERTIFICATIONS**

Compliance	CE, C-Tick, FCC, PSE, RCM, RF RoHS, SAA, UKCA
Protection type	IP60
Protection class	I

**OPERATIONAL**

Touch panel	8" Touch screen 1024 x 768 (4:3) 10-finger multi-touch capacitive touchscreen 3mm hardened glass 7H Surface treatment: anti-glare (optional) Outdoor (IP65) (optional)
Connectivity options	WIFI 2,4GHz and 5GHz 2x RJ45 LAN Ethernet
Technique & storage	Intel Celeron QuadCore Processor, 4GB RAM, 64 GB SSD, Local cache, Terminal supports DHC
Card/badge reader	Basic (MiFare): 13,56 Mhz (optional) Advanced (HID): 13,56 Mhz (optional)

■ PRODUCT DATASHEET

# Technical Drawing

