

The logo for Keynius, featuring the word "Keynius" in a white sans-serif font. A small green circle is positioned to the left of the letter "y".

Keynius



Product Portfolio

VERSION 1.0


DECEMBER 2025



Contents

SMART LOCKER WALLS

Steel	4
Smart Locker Cabinet VAULT	4
Smart Locker Cabinet ELITE PLUS	10
Smart Locker Cabinet RAIN PLUS	16
Smart Locker Cabinet KeyControl	20
Smart Locker Cabinet Mini Wall	22
HPL	24
Smart Locker Cabinet SOLID	24
Wood	30
Smart Locker Cabinet LUVIO	30
Showroom Demo Cabinets	35
Showroom Demo Cabinets	35



Article Numbers

All cabinets follow the same article number format:
SLWVL011950xxxx

The X's indicate:

Width	
Depth	
Columns per cabinet	
Doors per column	

Example article number:
SLWVL01195030050014

SLW VAULT	
Width	300
Depth	500
Columns per cabinet	1
Doors per column	4

Smart Locker Cabinet VAULT

- Versatile design, ideal for modern spaces
- Reinforced “front-laying” doors for enhanced safety
- Customizable dimensions
- Eco-friendly construction with high-quality steel sheet

Technical Specifications

GENERAL


Material cabinet	High-quality steel sheet (0.8 mm)
Material doors	High-quality steel sheet (1.0 mm)
Single column empty weight	55kg - 119kg
Dual column empty weight	94kg - 197kg
Intended use environment	Indoor
Manufacturing location	Europe

DOOR SPECIFICATIONS





Reinforced stainless steel pin hinge	Integrated stainless steel pin
--------------------------------------	--------------------------------




Models

Model variations must be stated in the order text







1 Column

					
Lockers	1	2	3	4	5
Width	300/400	300/400/500	300/400/500	300/400/500	300/400
Depth	500	500/650/800	500/650/800	500/650/800	500






					
Lockers	6	7	8	9	10
Width	300/400	300/400	300/400	300/400	300/400
Depth	500	500	500	500	500



2 Columns

					
Lockers	1	2	3	4	5
Width	600/800	600/800	600/800	600/800	600/800
Depth	500	500	500	500	500





					
Lockers	6	7	8	9	10
Width	600/800	600/800	600/800	600/800	600/800
Depth	500	500	500	500	500






Interior Accessories

				
Vertical partitions	Additional shelves	Height-adjustable shelves	Clothing hook(s)	Clothing rod with 3 hooks
AC01VPXX	AC01ASXX	AC01HASXX	AC01CHXX	AC01CRXX

	
Door limiter	Reinforced door
AC01DLXX	AC01RDXX


Exterior Accessories

				
Sloping top	Sloping top with ventilation preparation	Integrated bench (no base/plinth)	Side panels (left and right)	Numbering plate aluminium (flush)
AC01STXX	AC01STMVXX	AC01IBXX	AC01SIPAXX	AC01NPXX

				
Numbering sticker	Column number plate basic	Transparent doors	Zincor (body + doors)	Angled terminal screen
AC01NSXX	AC01CNPBXX	AC01TDXX	AC01ZSXX	AC01ATSXX



CREDIT: NMSB, BE



Article Numbers

All cabinets follow the same article number format:
SLWEP061950xxxx

The X's indicate:

Width	
Depth	
Columns per cabinet	
Doors per column	

Example article number:
SLWEP06195030040014

SLW ELITE PLUS

Width	300
Depth	400
Columns per cabinet	1
Doors per column	4

Smart Locker Cabinet ELITE PLUS

- Versatile design, ideal for modern spaces
- Reinforced “front-laying” doors for enhanced safety
- Customizable dimensions
- Eco-friendly construction with high-quality steel sheet

Technical Specifications

GENERAL


Material cabinet	High-quality steel sheet (1.0mm)
Material doors	High-quality steel sheet (1.2mm)
Single column empty weight	56kg - 122kg
Dual column empty weight	96kg - 202kg
Intended use environment	Indoor
Manufacturing location	Asia-Pacific

DOOR SPECIFICATIONS





Reinforced stainless steel pin hinge	Integrated stainless steel pin
--------------------------------------	--------------------------------


Models

Model variations must be stated in the order text








1 Column

						
Lockers	1	2	3	4	5	6
Width	300/350/400	300/350/400/500	300/350/400/500	300/350/400/500	300/350/400	300/350/400
Depth	400/500/650/850	400/500/650/850	400/500/650/850	400/500/650/850	400/500/650/850	400/500/650/850





					
Lockers	7	8	9	10	Z
Width	300/350/400	300/350/400	300/350/400	300/350/400	300/350/400
Depth	400/500/650/850	400/500/650/850	400/500/650/850	400/500/650/850	400/500/650/850



2 Columns

						
Lockers	1	2	3	4	5	6
Width	600/700/800	600/700/800	600/700/800	600/700/800	600/700/800	600/700/800
Depth	400/500/650/850	400/500/650/850	400/500/650/850	400/500/650/850	400/500/650/850	400/500/650/850





					
Lockers	7	8	9	10	Z
Width	600/700/800	600/700/800	600/700/800	600/700/800	600/700/800
Depth	400/500/650/850	400/500/650/850	400/500/650/850	400/500/650/850	400/500/650/850





Interior Accessories

				
Vertical partitions	Additional shelves	Height-adjustable shelves	Clothing hook(s)	Clothing rod with 3 hooks
AC06VPXX	AC06ASXX	AC06HASXX	AC06CHXX	AC06CRXX

	
Door limiter	Reinforced door
AC06DLXX	AC06RDXX

Exterior Accessories

				
Sloping top	Sloping top with ventilation preparation	Integrated bench (no base/plinth)	Side panels (left and right)	Numbering plate aluminium (flush)
AC06STXX	AC06STMVXX	AC06IBXX	AC06SPXX	AC06NPXX

				
Numbering sticker	Column number plate basic	Transparent doors	Zincor (body + doors)	Angled terminal screen
AC06NSXX	AC06CNPBXX	AC06TDXX	AC06ZSXX	AC06ATSXX



CREDIT: ZIGGO DOME, NL



Smart Locker Cabinet RAIN PLUS

- Weatherproof construction for outdoor use
- Reinforced “front-laying” doors for enhanced safety
- Customizable dimensions
- Eco-friendly construction with high-quality steel sheet
- Reinforced hinges

Technical Specifications

GENERAL

Material cabinet	High-quality steel sheet (1.5mm)
Material doors	High-quality steel sheet (1.5mm)
Single column empty weight	TBD
Dual column empty weight	TBD
Intended use environment	Outdoor
Manufacturing location	Asia-Pacific

DOOR SPECIFICATIONS

Hinge system	Intergrated weatherproof leaf hinge
--------------	-------------------------------------

Article Numbers

All cabinets follow the same article number format:
SLW062300xxxx

The X's indicate:

Width	
Depth	
Columns per cabinet	
Doors per column	

Example article number:
SLW06230040050014






SLW RAIN PLUS






Width	400
Depth	500
Columns per cabinet	1
Doors per column	4








CREDIT: DACHAU CONCENTRATION CAMP





1 Column

					
Lockers	1	2	3	4	5
Width	400	400/500	400/500	400/500	400
Depth	500/650/850	500/650/850	500/650/850	500/650/850	500/650/850




					
Lockers	6	7	8	9	10
Width	400	400	400	400	400
Depth	500/650	500/650	500/650	500/650	500/650

2 Columns

					
Lockers	1	2	3	4	5
Width	800	800	800	800	800
Depth	500/650	500/650	500/650	500/650	500/650

				
Lockers	6	7	8	9
Width	800	800	800	800
Depth	500/650	500/650	500/650	500/650

Exterior Accessories

			
Numbering plate aluminium (flush) AC06NPXX	LED integration with canopy AC06CANLED	Holder for camera AC06CANCAM	Angled terminal screen AC06PRPS8ATS



CREDIT: COLORADO CHARLIE, NL



Smart Locker Cabinet KeyControl

- Versatile design, ideal for modern spaces
- Reinforced “in-laying” doors for enhanced safety
- Eco-friendly construction with high-quality steel sheet

Technical Specifications

GENERAL

Material cabinet	High-quality steel sheet (0.8mm)
Material doors	High-quality steel sheet (1.0mm)
Empty weight Wall mount (40 positions)	± 75kg
Empty weight Floor mount (80 positions)	± 170kg
Intended use environment	Indoor
Manufacturing location	Europe


DOOR SPECIFICATIONS

Stainless steel pin hinge	Integrated stainless steel pin
---------------------------	--------------------------------

Article Numbers


- 21000930 KEYCONTROL WALL MOUNT (40 POSITIONS)
- 21000910 KEYCONTROL FLOOR MOUNT (80 POSITIONS)

Wall Mount




Positions 40
Width 1000
Depth 250

Floor Mount




Positions 80
Width 1000
Depth 500


KeyControl Technology




Tamperproof key ring (40mm)




Ring closing tool




Ring crimping tool




Ring cutting tool




KeyControl tag



KeyControl module



KeyControl control unit



Smarty 8 inch



Smart Locker Cabinet Mini Wall

- Versatile design, ideal for modern spaces
- Reinforced “in-laying” doors for enhanced safety
- Eco-friendly construction with high-quality steel sheet

Technical Specifications

GENERAL

Material cabinet	High-quality steel sheet (1.0mm)
Material doors	High-quality steel sheet (1.2mm)
Empty weight 3x3 locker cabinet	49Kg
Empty weight 3x6 locker cabinet	57Kg
Intended use environment	Indoor


DOOR SPECIFICATIONS

Reinforced stainless steel pin hinge	Integrated stainless steel pin
--------------------------------------	--------------------------------

Article Numbers


21000960 MINI WALL TERMINAL CABINET
21000961 MINI WALL LOCKER CABINET

Cabinets




Lockers	9	18
Width	590	590
Depth	200	200

Exterior Accessories



Numbering plate aluminium (flush) AC06NPXX	Numbering sticker AC06NSXX	Transparent doors AC06TDXX
--	-------------------------------	-------------------------------



Article Numbers

All cabinets follow the same article number format:
SLWS051950xxxx

The X's indicate:

Width	
Depth	
Columns per cabinet	
Doors per column	

Example article number:
SLWS05195030040014

SLW ELITE PLUS

Width	300
Depth	400
Columns per cabinet	1
Doors per column	4

Smart Locker Cabinet SOLID

- Versatile design, ideal for modern spaces
- Reinforced “front-laying” doors for enhanced safety
- Customizable dimensions
- Eco-friendly construction with high pressure laminate

Technical Specifications

GENERAL



Material cabinet	Compact laminated boards (10mm)
Material doors	Compact laminated boards (10mm)
Material base	Compact laminated boards (10mm)
Single column empty weight	63 kg - 165 kg
Dual column empty weight	96 kg - 278 kg
Intended use environment	Indoor or humid areas
Firegrade	Firegrade B
Manufacturing location	Asia-Pacific

DOOR SPECIFICATIONS





Hinge type	High-quality stainless steel hinge
------------	------------------------------------



Models

Model variations must be stated in the order text














1 Column

						
Lockers	1	2	3	4	5	6
Width	300/350/400	300/350/400	300/350/400	300/350/400	300/350/400	300/350/400
Depth	400/500/650/850	400/500/650/850	400/500/650/850	400/500/650/850	400/500/650/850	400/500/650/850






					
Lockers	7	8	9	10	Z
Width	300/350/400	300/350/400	300/350/400	300/350/400	300/350/400
Depth	400/500/650/850	400/500/650/850	400/500/650/850	400/500/650/850	400/500/650/850

2 Columns








						
Lockers	1	2	3	4	5	6
Width	600/700/800	600/700/800	600/700/800	600/700/800	600/700/800	600/700/800
Depth	400/500/650/850	400/500/650/850	400/500/650/850	400/500/650/850	400/500/650/850	400/500/650/850

					
Lockers	7	8	9	10	Z
Width	600/700/800	600/700/800	600/700/800	600/700/800	600/700/800
Depth	400/500/650/850	400/500/650/850	400/500/650/850	400/500/650/850	400/500/650/850

Interior Accessories

				
Vertical partitions	Additional shelves	Height-adjustable shelves	Clothing hook(s)	Clothing rod with 3 hooks
AC05VPXX	AC05ASXX	AC05HASXX	AC05CHXX	AC05CRXX

Exterior Accessories

				
Sloping top	Sloping top with ventilation preparation	Integrated bench (no base/plinth)	Side panels (left and right)	Numbering plate engraved
AC05STXX	AC05STMVXX	AC05IBXX	AC05SPXX	AC05ENXX
				
Numbering sticker	Angled terminal screen			
AC05NSXX	AC05ATSXX			



CREDIT: MARS LONDON, UK



Smart Locker Cabinet LUVIO

- Versatile design, ideal for modern spaces
- “Front-laying” doors for enhanced safety
- Customizable dimensions
- Eco-friendly construction

Technical Specifications

GENERAL

Material cabinet	High-quality MFC board (18 mm)
Material doors	High-quality MFC board (18 mm)
Material base	High-quality MFC board (18 mm)
Single column empty weight	45 - 75kg
Half column empty weight	33 - 43 kg
Intended use environment	Indoor
Firegrade	Firegrade D
Manufacturing location	Europe

DOOR SPECIFICATIONS

Hinge type (needs to select preference)	Blum hinge (3D adjustable robust hinge with possibilities for perfect alignment) Keynius Pin hinge (Simple and robust door hinge)
---	--

Article Numbers

All cabinets follow the same article number format:
SLWLU02xxxx

The X's indicate:

Height	
Width	
Depth	
Doors per column	

Example article number:
SLWLU0220003004004

SLW ELITE PLUS


Height	2000
Width	300
Depth	400
Doors per column	4

1 Column


Lockers	1	2	3	1	2
Height	1281	1281	1281	2000	2000
Width	300/400	300/400	300/400	300/400	300/400
Depth	500	500	500	500	500

Lockers	3	4	5	6	10
Height	2000	2000	2000	2000	2000
Width	300/400	300/400	300/400	300/400	300/400
Depth	500	500	500	500	500


Interior Accessories




Additional shelves
AC02ASXX



Height-adjustable shelves
AC02HASXX




Clothing hook(s)
AC02CHXX




Clothing rod (20mm)
AC02CRXX


Exterior Accessories



**Side panels
(left and right)**
AC02SPXX



Numbering sticker
AC02NSXX



Showroom Demo Cabinets

- Easy cabinet placement due to moveable plinths
- RAL 9010 body, side panels, and moveable plinth

Article Numbers


21000980	SOLID SHOWROOM CABINET	21000982	LUVIO SHOWROOM CABINET
21000981	ELITE PLUS SHOWROOM CABINET	21000983	RAIN PLUS SHOWROOM CABINET

Optional

Customisable door colours

Smarty screen

Models*



Type	Solid	Elite Plus	Luvio	Rain Plus	Moveable plinth
Height	2090	2150	2000	2300	150
Width	420	340	340	400	850
Depth	500	500	500	500	950

See the chapters above for more detailed cabinet model specifications
*Cabinet measurements are excluding moveable plinth



Contact us today

HEAD OFFICE. Parabool 28. 3364 DH Sledrecht (NL) . +31 (0)85 489 13 35

KEYNIUS UK. KEYNIUS USA. KEYNIUS HK. KEYNIUS IN. KEYNIUS EU. KEYNIUS NL. KEYNIUS UAE.

keynius.eu